KENWOO

COMPACT Hi-Fi COMPONENT SYSTEM

C-515BT C-313

INSTRUCTION MANUAL

Kenwood Corporation













© B60-5807-08/02 (E, X)

Before applying power

⚠ Caution: Read this page carefully to ensure safe operation.

Units are designed for operation as follows.

Safety precautions

WARNING: TO PREVENT FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE.







CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



THE LIGHTNING FLASH WITH ARROWHEAD SYMBOL, WITHIN AN EQUILATERAL TRIANGLE, IS INTENDED TO ALERT THE USER TO THE PRESENCE OF UNINSULATED "DANGEROUS VOLTAGE" WITHIN THE PRODUCT'S ENCLOSURE THAT MAY BE OF SUFFICIENT MAGNITUDE TO CONSTITUTE A RISK OF ELECTRIC SHOCK TO PERSONS.



THE EXCLAMATION POINT WITHIN AN EQUI-LATERAL TRIANGLE IS INTENDED TO ALERT THE USER TO THE PRESENCE OF IMPORTANT OPERATING AND MAINTENANCE (SERVICING) INSTRUCTIONS IN THE LITERATURE ACCOMPA-NYING THE APPLIANCE.

The marking of products using lasers

CAUTION

VISIBLE OR INVISIBLE CLASS 1M LASER RADIATION WHEN OPEN. DO NOT VIEW DIRECTLY WITH OPTICAL INSTRUMENTS.

Inside this laser product, a laser diode classified as Class 1M laser radiation is contained. Do not view directly with optical instruments.

IMPORTANT SAFETY INSTRUCTIONS

⚠ Caution: Read this page carefully to ensure safe operation.

Read Instructions – All the safety and operating instructions should be read before the product is operated

Retain Instructions – The safety and operating instructions should be retained for future reference. Heed Warnings – All warnings on the product and in the operating instructions should be adhered to. Follow Instructions – All operating and use instructions should be followed.

- 1. Cleaning Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.
- **2. Attachments** Do not use attachments not recommended by the product manufacturer as they may cause hazards.
- **3. Water and Moisture** This product shall not be exposed to dripping and splashing for example, near a bath tub, wash bowl, kitchen sink, or laundry tub; in a wet basement; or near a swimming pool; and the like. Do not place an object containing liquid, such as a flower vase, on the appliance.
- **4. Accessories** Do not place this product on an unstable cart, stand, tripod, bracket, or table. The product may fall, causing serious injury to a child or adult, and serious damage to the product. Use only with a cart, stand, tripod, bracket, or table recommended by the manufacturer. Any mounting of the product should follow the manufacturer's instructions, and should use a mounting accessory recommended by the manufacturer.

A product and cart combination should be moved with care. Quick stops, excessive force, and uneven surfaces may cause the product and cart combination to overturn.




5. Ventilation – Slots and openings in the cabinet are provided for ventilation and to ensure reliable operation of the product and to protect it from overheating, and these openings must not be blocked or covered. The openings should never be blocked by placing the product on a bed, sofa, rug, or other similar surface. This product should not be placed in a built-in installation such as a bookcase or rack unless proper ventilation is provided or the manufacturer's instructions have been adhered to.

2 C-515BT/C-313

B60 5807 08_02_English indd 2 09.6.17 9:04:43 AM

- **6. Power Sources** This product should be operated only from the type of power source indicated on the product. If you are not sure of the type of power supply to your home, consult your product dealer or local power company.
- **7. CAUTION Polarization** This product may be equipped with a polarized alternating-current line plug (a plug having one blade wider than the other). This plug will fit into the power outlet only one way. This is a safety feature. If you are unable to insert the plug fully into the outlet, try reversing the plug. If the plug should still fail to fit, contact your electrician to replace your obsolete outlet. Do not defeat the safety purpose of the polarized plug.
- **8. Power Cord Protection** Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenience receptacles, and the point where they exit from the product.
- **9. Lightning** For added protection for this product during a lightning storm, or when it is left unattended and unused for long periods of time, unplug it from the wall outlet and disconnect the antenna or cable system. This will prevent damage to the product due to lightning and power-line surges.
- **10.Overloading** Do not overload wall outlets, extension cords, or integral convenience receptacles as this can result in a risk of fire or electric shock.
- **11.Object and Liquid Entry** Never push objects of any kind into this product through openings as they may touch dangerous voltage points or short-out parts that could result in a fire or electric shock. Never spill liquid of any kind on the product.
- **12.Servicing** Do not attempt to service this product yourself as opening or removing covers may expose you to dangerous voltage or other hazards. Refer all servicing to qualified service personnel.
- **13.Damage Requiring Service** Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions:
 - a) When the power-supply cord or plug is damaged,
 - **b)** If liquid has been spilled, or objects have fallen into the product,
 - c) If the product has been exposed to rain or water,
 - **d)** If the product does not operate normally by following the operating instructions.
 - e) If the product has been dropped or damaged in any way, and
 - **f)** When the product exhibits a distinct change in performance this indicates a need for service.
 - g) If an abnormal smell or smoke is detected.

- **14.Replacement Parts** When replacement parts are required, be sure the service technician has used replacement parts specified by the manufacturer or have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock, or other hazards
- **15.Safety Check** Upon completion of any service or repairs to this product, ask the service technician to perform safety checks to determine that the product is in proper operating condition.
- **16.Wall or Ceiling Mounting** This product should be mounted to a wall or ceiling only as recommended by the manufacturer.
- **17.Heat** This product should be situated away from heat sources such as radiators, heat registers, stoves, or other products that produce heat. Do not place a flaming object, such as a candle or lantern, or near the product.
- **18.Power Lines** An outside antenna system should not be located in the vicinity of overhead power lines or other electric light or power circuits, or where it can fall into such power lines or circuits. When installing an outside antenna system, extreme care should be taken to keep from touching such power lines or circuits as contact with them might be fatal.
- **19.Outdoor Antenna Grounding** If an outside antenna or cable system is connected to the product, be sure the antenna or cable system is grounded so as to provide some protection against voltage surges and built-up static charges. Article 810 of the National Electrical Code, ANSI/NFPA 70, provides information with regard to proper grounding of the mast and supporting structure, grounding of the lead-in wire to an antenna discharge unit, size of grounding conductors, location of antenna-discharge unit, connection to grounding electrodes, and requirements for the grounding electrode.



Notes:

- 1. Item 7 is not required except for grounded or polarized equipment.
- 2. Item 19 complies with UL in the U.S.A.

Before use

Contents	
Caution : Read the pages marked 🔨 car	efully to
ensure safe operation.	
Before applying power	-
Safety precautions	
IMPORTANT SAFETY INSTRUCTIONS	
Before use	
Unpacking	
How to read this manuall	
Preparing the remote control unit	Ĺ
Connections	
About MP3 and WMA	
About USB device	
Supported iPod	
Handling discs	
About SD card	9
Usable D.AUDIO	9
Component names and functions	10
Basic function	
Switching the system on	12
Switching the system to standby mode	12
Volume control	12
Sound controlHeadphones	12 13
Using the CD/USB device/SD card	
Preparation	13
Playing a CD/ audio file	
Selecting a desired file by file name	
(For audio file only) Programming tracks/files	1∠
Random play	15
Repeat play	15
Changing the display information	
Using the radio	
Tuning in radio stations Auto preset	
Manual preset	
Tuning to a preset radio station	16
Using RDS (Radio Data System)	17
Changing the RDS display information Tuning by Program Type (PTY search)	17
Using the iPod	18
Playing an iPod Repeat play	
Random play	
• •	

Usi	ng the D.AUDIO	.18
	Playback of Digital Audio Player	18
Usi	ng the Bluetooth audio	.19
	Before use (Pairing function) Playback of Bluetooth audio	19
Usi	ng the AUX	.19
	Playing an external component	
Clo	ck/timer operation	.20
	Clock setting	
	Timer setting	
	To activate/deactivate the timer	
	Sleep timer setting	21
Sys	tem setup	.22
	Adjusting the display brightness (BACKLIGHT)	
	Adjusting the display contrast (CONTRAST)	
	Setting Auto Power Save (A.P.S.)	
ln c	ase of difficulty	.23
Ger	neral information	.24
	Maintenance	
	To install this unit and/or speakers on a wall	24
	ecifications	

Unpacking

Unpack the unit carefully and make sure that all accessories are present.

FM indoor antenna	(1
AM loop antenna	(1
iPod dock (C-515BT only)	(1
Remote control unit	
with a built-in button battery	(1
	/1
AC adapter (AC-18335A)	(
AC adapter (AC-18335A) Power cord (For Europe)	

If any accessories are missing, or if the unit is damaged of falls to operate, notify your dealer immediately. If your unit was shipped to you directly, notify your shipper immediately. Kenwood recommends that you retain the original carton and packing materials in case you need to move or ship the unit in the future.

Keep this manual handy for future reference.

4 C-515BT/C-313

How to read this manual

The description in this manual is based on the C-515BT, and the C-313 is not equipped with the selectors and functions related to iPod and Bluetooth. The descriptions of the functions available only with the C-515BT are marked with the following symbol.

C-515BT

Most of the functions are designed to be able to operate from the remote control unit.


Preparing the remote control unit

Pull the battery sheet out from the remote control unit to the direction of the arrow.



Operation

When the power cord is plugged in, STANDBY/TIMER indicator is lit. The power turns ON by pressing b button on the remote control unit pointing at the remote sensor. When the power comes on, press the button you want to operate.





- The supplied battery may have shorter live than ordinary battery due to use during operation checks.
- When the remote-controllable distance gets shorter than before, replace the battery with a new one.
- Placing the remote sensor in direct sunlight, or in direct light from a high frequency fluorescent lamp may cause a malfunction.

In such a case, change the location of the system installation to prevent malfunction.


Changing the battery of the remote control unit

Use a commercially available button battery (CR2025).

Insert something narrow like a paperclip into the hole 1 and pull out the battery tray.




2 Replace the old battery with a new one.



A CAUTION

- Lithium battery.
 - Danger of explosion if the battery is incorrectly replaced. Replace only with the same or equivalent type.
- The battery pack or batteries shall not be exposed to excessive heat such sunshine, fire or the like.
- Keep battery out of reach of children and in original package until ready to use. Dispose of used batteries promptly. If swallowed contact physician immediately.

Connections



⚠ CAUTION

The power in this equipment will not be completely cut off from the wall outlet when the standby switch is turned off. Install the equipment so that the wall outlet is easily accessible and, in case of emergency, immediately unplug the power plug from the wall outlet.

Mains plug is used as the disconnect device, It shall remain readily operable and should not be obstructed during intended use.

Be sure to adhere to the following, or proper ventilation will be blocked causing damage or fire hazard (Main unit and AC adapter).

- Do not place a cloth on the system or place it on a carpet or cushion.
- Do not use the system in a poorly ventilated place.
- Do not place any objects impairing heat radiation onto the top of the unit.
- Leave some space around the unit (from the largest outside dimension including projection) equal to or greater than, shown below.

Top panel: 50 cm

6 C-515BT/C-313

Connecting the FM antenna

- 1 Connect the lead to the [FM 75Ω] terminal.
- 2 Find the location that gives the best reception.
- 3 Secure the antenna as high up as possible.
- The antenna supplied with the system is a basic antenna for indoor use. For stable signal reception, the use of an outdoor antenna (commercially available) is recommended. Disconnect the indoor antenna first before connecting an outdoor antenna.

<u>A</u>CAUTION

Since antenna installation necessitates skill and experience, always consult your dealer before installation. The antenna should be placed at a distance from the power distribution wires. Otherwise, an electric shock accident may occur if the antenna falls down.

Connecting the AM antenna

Connect the AM antenna cord to the [AM] and [#GND] terminals




2 Setup the antenna in the position and the direction to be able to receive AM broadcast.



• The antenna supplied with the system is for indoor use. Place it as far away as possible from the system, your TV set, the speaker cords, AC adapter and the power cord, and point it in the direction that provides the best reception.

Connecting the speakers


- Connect the right speaker to terminal marked "R", with the red wire to + and the black wire to -.
- 2 Connect the left speaker to terminal marked "L", with the red wire to + and the black wire to -.



- · For optimal sound performance, it is recommended to use the supplied speakers.
- Do not connect more than one speaker to any one pair of +/- speaker terminals.

Connecting the iPod adapter C-515BT

- Connect an iPod adapter, which is provided with your iPod or commercially available in iPod dealers, to the iPod dock of this unit. Note that the iPod adapter is not provided with this unit.
- See page 9 for the supported iPod models.
- 1 Insert the iPod adapter into unit.




iPod dock

2 Connect your iPod.



To remove iPod adapter

• Insert a thin object such as the tip of a flat-blade screwdriver into the slit on the dock adapter and lift it to remove.



About MP3 and WMA

The playable MP3/WMA file (hereafter called **Audio file**) and the media format have the following limitation. The Audio file, which is not conforming to the specification, may not play normally.

Playable Audio file

Playable MP3 file

- File formats: MPEG 1/2 Audio Layer 3 file
- Extension: .mp3
- · Transfer bit rate: 8 kbps 320 kbps
- Sampling frequency: 48/ 44.1/ 32/ 24/ 22.05/ 16/ 12/ 11.025/ 8 kHz

Playable WMA file

- File format: Windows Media[™] Audio compliant
- · Extension: .wma
- Transfer bit rate: 32 kbps 320 kbps
- Sampling frequency: 48/44.1/32 kHz
- Files created using functions in Windows Media[™] Player 9 or later cannot be played.
- WMA Professional
- WMA Lossless
- WMA Voice



- Do not attach the extensions to files other than the Audio file.
 If the extension is attached, the file, which is not the Audio file, will play and outputs a loud noise, causing damage to the speaker.
- The files with copy protection cannot be played.
- Audio files cannot be played depending on the encoding software setting, USB device type, and/or recording conditions.
- The unit may not be compatible with upgrade of compression format standard and additional specifications.
- Audio files encoded using VBR (Variable Bit Rate) may use bit rates that fall outside the supported range. Audio fi les with bit rates outside the supported range cannot be played.

Playable storage media

- · CD-ROM, CD-R, CD-RW
- USB device (USB version 1.1/2.0)
- SD, SDHC, mimi SD, micro SD/SDHC card



- CD-RW discs which are quick formatted by the writing software cannot be used.
- When recording to the maximum CD-R/RW media capacity at once, the writing software is set to "Disc at once".
- For details on the available USB devices, refer to <About USB device> (page 9).
- For details on the available SD/SDHC card, refer to <About SD card> (page 9).

Playable CD-R/RW format

- ISO 9660 Level 1/2
- Joliet



Playable file format of USB device/SD card

FAT 16/32

The maximum number of characters for display

- File/Folder name: 30/30 characters
- MP3 ID3 Tag/ WMA Contents property:

32 characters

(The information which can be displayed with this unit: title, artist name, and album name)



- File/Folder name is the number of the characters including the extensions.
- This unit can display the following versions of MP3 ID3 tags version 1.0/1.1/2.2/2.3


Limitation of structure for the file and the folder

- Maximum number of folders: 255 (including root folder)
- Maximum number of files per folder: 999 (including the number of folders)

Playing order of the audio file

 Audio files are played in the order the files are written. You can specify the order of playback by numbering files in a folder and writing them by folder.

Example



· Playing order

Playing order after **♪**① play:

→ ♪②, ♪③, ♪④, ♪⑤...

About USB device

Notes on use of the USB device

This unit can play audio files stored in the flash memory and digital audio player that have a USB port (these devices are referred to as USB devices in this document)

The following restrictions are placed on the types and usage of available USB devices:

Available USB devices

- USB devices belonging to the USB mass storage class.
- USB devices whose maximum current consumption is 500 mA or less.



- USB Mass Storage Class: USB devices that the PC can recognize as an external storage without using any special driver or application software.
- Contact the sales agent as to whether your USB device conforms to the USB mass storage class specs.
- Using an unsupported USB device can result in abnormal playback or display of the audio file.
 Even if you use the USB device conforming to the above specs, audio files cannot be played normally depending on the type or condition of the USB device.

Supported iPod

C-515BT

Made for

- iPod nano (1st generation)
- iPod nano (2nd generation)
- iPod nano (3rd generation)
- · iPod nano (4th generation)
- iPod (4th generation)
- iPod with video
- iPod classic
- iPod touch (1st generation)
- iPod touch (2nd generation)



- Be sure to update the software of your iPod to the latest version.
- The iPod cannot be connected together with its accessories such as the cover or case. Be sure to remove any accessories before connecting the iPod.
- Video output setting of iPod needs to be set on your iPod.
- When the iPod is detached from the iPod dock, the TV Out setting of the iPod may sometimes be set to On. Check this setting if the iPod cannot display video.

Handling discs

Handling precautions

Hold a CD taking care not to touch the played surface. (The side without the printed label is the playback side.)

Discs playable on the system

This system can play back a CD (12 cm, 8 cm), CD-ROM, CD-R, CD-RW or the audio part of a CD-EXTRA disc.

Notes on CD-ROM/CD-R/CD-RW discs

If the CD-ROM, CD-R or CD-RW disc in use has a printable label surface, the disc may be unable to be taken out of the system due to sticking of the label surface. To prevent malfunction of the system, do not use such a disc.

Cautions on CD discs

Always use a CD carrying the first marking.

A disc without this marking may be unable to be played back correctly.

The disc rotates at a high speed during playback. Never use a cracked, chipped or greatly warped disc. Otherwise, damage or malfunction of the player may result.

Also, do not use a disc with a non-circular shape as this may result in malfunction.

About SD card

Available SD card

- SD, SDHC, mimi SD, micro SD/SDHC card
- An SD card of 512 MB to 32 GB can be used.




- A special adapter is required for using a mini SD/micro SD card.
- A multimedia card (MMC) cannot be used.

Usable D.AUDIO

To control a Kenwood digital audio player from the main unit or remote control unit, the Kenwood digital audio player connection cable is necessary.

Usable Kenwood digital audio player models		
HDD audio player	Memory audio player/recorder	
HD20GA7	MGR-A7/M2GD55/M1GD55/	
	M1GC7/M2GC7	

Component names and functions



10 C-515BT/C-313

B60 5807 08_02_English.indd 10

09.6.17 9:04:47 AM

1 1 (button

To switch the system on or to standby mode.

[STANDBY/TIMER] indicator

Red lighting: Ordinary standby mode Orange lighting: Timer standby mode

2 2 Source buttons

To select the source you want, or to turn the system on to the selected source.

TUNER BAND button

 $FM \rightarrow AM$

CD/USB/SD button

 $CD \rightarrow USB \rightarrow SD$

D.AUDIO/iPod/Bluetooth button (C-515BT)

 $D.AUDIO \rightarrow iPod \rightarrow Bluetooth$

D.AUDIO button (C-313)

D.AUDIO

AUX button

AUX

3 ▶/II button

To start or interrupt playback for CD, audio file, iPod and D.AUDIO.

STOP ■ button

To stop playback for CD, audio file and D.AUDIO.

4 4 I ✓ ✓ / ►►I buttons

To search forward/backward to next/previous track for CD.

To skip tracks for CD.

To search forward/backward or to skip to the next/previous files for audio files and iPod.

To tune to higher/lower radio frequency or search radio stations for TUNER.

MULTI CONTROL ▲/▼/ ◀ / ▶ buttons

Press to select a setting item.

ENTER button

Press to enter the selected item.

6 digit **0 – 9/ A – Z** buttons

To select a track/file number for CD and audio file.
To select a preset radio station for TUNER.
To enter file names in file search mode for audio files.

7 PAIRING button (C-515BT only)

To perform pairing with a Bluetooth device.

STEREO/MONO button

To switch between stereo mode and mono mode (on FM band only) for TUNER.

8 RANDOM button

To playback in random order for CD, audio file and iPod

9 MEMORY/REPEAT button

To auto /manual preset radio stations for TUNER.

To repeat one track/file or all tracks/files for CD, audio file and iPod.

10 P.MODE button

To program tracks/files for CD and audio file.

11 PTY/CLEAR button

To carry out PTY search.

To delete the track/file number entered during track/file search.

FILE SEARCH button

To select a desired file in audio files.

TIMER ON/OFF button

To switch the timer on/off.

14 TIMER SET button

To set the clock. To set the timer.

To set the A.P.S.

FOLDER/P.CALL ▲/▼ buttons

To select an album (folder) of audio files and iPod. To select a preset radio station for TUNER.

16 MUTE button

To interrupt and resume sound reproduction.

17 5 VOLUME ▲/▼ buttons

To increase or decrease the volume.

18 8 X-BASS button

To switch on/off bass enhancement.

19 9 SOUND button

To select the desired sound effect : POP, CLASSIC, ROCK, JAZZ, GAME or FLAT (off).

20 DISPLAY button

To change the time display for CD.

To change the information display for audio files.

To change the display for RDS.

To change the display for clock

BACKLIGHT/CONTRAST button

To switch the display backlight and illumination on and off.

To adjust the display contrast.

21 SLEEP button

To select the sleep time.

6 [▲] button

To open or close the CD door.

10 SD card slot

- 11 USB connector
- 12 D.AUDIO input terminal
- 13 PHONES jack
- 14 Remote sensor
- 15 Display
- 16 Illumination
- 17 CD door

Standby mode

While the STANDBY/TIMER indicator is lit, a small amount of power is supplied to the system to back up the memory. This is called standby mode. Under the condition, the system can be turned ON by the remote control unit.

Basic function

Switching the system on

Press (), TUNER BAND, CD/USB/SD, D.AUDIO/iPod/Bluetooth (C-515BT), D.AUDIO (C-313), AUX button.

The [STANDBY/TIMER] LED will go out.

The system will switch to the last selected source or the selected source.

Switching the system to standby mode

Press (button.

[STANDBY/TIMER] indicator is lit.

Volume control

Press VOLUME ▲ button to increase, or press VOLUME ▼ to decrease the volume level.

"VOL XX" is displayed. "VOL XX" denotes the volume level.

To switch off the volume temporarily

Press MUTE button.

Playback continues without sound, and "MUTE" is displayed.



• To restore the volume, press **MUTE** button again or adjust the volume

Sound control

The sound control system feature enables you to enjoy special sound effects; preset equalizer settings and bass enhancement, providing the best music reproduction.

To switch on preset equalizer settings

Press SOUND button to select the desired sound effect: POP, CLASSIC, ROCK, JAZZ, GAME or FLAT (off)

When an effect other than FLAT is selected, the "EQ" icon appears on the display.

To switch on the bass enhancement

Press X-BASS button.

The icon "X-BASS" appears on the display.



- To switch off X-BASS, press X-BASS button. The icon "X-BASS" disappears.
- EQ and X-BASS functions are not applied to the recording sound.

Headphones

To listen to your stereo with headphones (separately available), use the 3.5 mm phones jack on the main unit

Connecting headphones mutes the sound from the speakers.

⚠ CAUTION

• A warning that excessive sound pressure from earphones and headphones can cause hearing loss.


12 C-515BT/C-313

Using the CD/USB device/SD card

Preparation

Inserting a disc

- 1 Press CD/USB/SD button once or more to select "CD".
- 2 Press (▲) button to open the CD door.



- 3 Insert a disc into the disc loader with the label side is facing you.
- 4 Press (▲) button to close the CD door.


For a CD, the total playtime and total number of tracks will appear in the display.
For an audio file-CD, the total album number and total file number will appear on the display.

Removing a disc

- 1 Press (▲) button and carefully pull it out.
- 2 Press [♠] button to close the CD door.

Inserting a USB device

- 1 Press the (1) button to select standby mode.
- 2 Insert a USB device to the USB connector on the front panel.



3 Press CD/USB/SD button once or more to select "USB".


"USB" is displayed. The total album number and total file number will appear on the display.

Removing the USB device

- 1 Press the (b) button to select standby mode.
- 2 Remove the USB device.

Inserting an SD card

- 1 Press the (b) button to select standby mode.
- 2 Insert the SD card into the SD card slot until it clicks.





Insert the SD card so that the label side faces up and the side with a cut comes on the right.

3 Press CD/USB/SD button once or more to select "SD".

The total album number and total file number will appear on the display.

Removing the SD card

- 1 Press the (b) button to select standby mode.
- 2 Remove the SD card.



- To ensure good system performance; wait until the unit completely reads the disc/USB device/SD card before proceeding.
- If the disc compartment is not loaded with a disc, "NO DISC" is displayed.
- If the disc is unreadable or there is no playable audio file in the USB device/SD card , "NO DATA" is displayed.
- For audio files, reading time may exceed 10 seconds due to the large number of songs compiled into one disc/ USB device/ SD card.
- The icon "MP3" appears only when an MP3-file is played. The icon "WMA" appears only when an WMA-file is played.

Playing a CD/ audio file

Press ►/II button to start playback.

The track/file number and elapsed playing time of the current track/file appear on the display.

Basic opertions

Operation type	Operation
To stop playback	Press STOP ■ button.
To interrupt	Press ►/II button.
playback .	Press again to resume playback.
To search for a	Press and hold I◀◀ or ▶▶I button for
particular passage	more than 2 seconds.
during playback	Press the ▶/ II button when the desired
	passage is located.
To select a track/ file	Press I or ▶ button in play or pause
	mode.
To select a folder	Press FOLDER/P.CALL ▲ or ▼ button
(For audio file only)	in play or pause mode.



- For audio file; "DIR:xxx TRK:xxx" appears on the display.
 "DIR:xxx" indicates album number and "TRK:xxx" indicates the file number.
- The digit buttons, 0–9 on the remote control unit can also be used to select a track/file.

Press the digit buttons as shown below:

	CD	Audio file
To select track/file 2	2 and ENTER	2 and ENTER
To select track/file 23	2 and 3	2, 3 and ENTER
To select file 120	_	1, 2 and 0

If the **ENTER** button is not pressed, the search for the selected track/file will start in 5 seconds.

Selecting a desired file by file name (For audio file only)

- 1 In stop mode, press FILE SEARCH button.
 The icon "F-SEARCH" appears on the display.
- 2 Press the digit buttons A-Z, 0-9 to input the first character of the file name you want to search.
- 3 Press ENTER button.
 - "_" appears and flashes on the next of the first character.
- 4 Repeat step 2 and 3 to enter the characters until the one before the last character.
- 5 For the last character, press the digit buttons A-Z, 0-9 to input.
- **6** Press FILE SEARCH button.

"SEARCHING" appears on the display.

14 C-515BT/C-313

Select one of them with the I◀◀ or ▶► button.

7 Press ►/II button to start playback.



- If the unit finds an appropriate file, the route name and the file name will be scrolled on the display. Press DISPLAY button. Then the album number and track number will be displayed.
- · If there is no appropriate file, "NO FILE" is displayed.

Programming tracks/files

Programming tracks/files of a CD/audio file is possible when playback is stopped. Up to 30 tracks can be stored in the memory in any order.

In stop mode, press P.MODE button to enter program setting.

The icon "PGM" and "P-01 T- -"/ "P-01 T- --" appears on the display.

"T- -" indicates track number of the CD.

"T---" indicates file number of the audio file.

"P–01" indicates program number. The icon "PGM" starts flashing.

- 2 Press MULTI CONTROL ▲ or ▼ button, or digit buttons 0–9 to select the desired track/file.
- 3 Press ENTER button to store the selected track/

The track/file number returns to "T--"/ "T---" and the next program number appears on the display.

4 Repeat steps 2 to 3 to select and store other desired tracks/files in this way.

The icon "PGM" appears on the display.

5 Press ►/II button to play the programmed tracks/files.



- "PGM FULL" appears on the display, if you attempt to program more than 30 tracks/files.
- Audio files can only be programmed within the same source.
- Now enter the new track/file number with either method below.
 - Press the MULTI CONTOL ▲ or ▼ button to select the desired track/file.
 - Press the CLEAR button to clear the track/file number programmed. Select the new track/file number using digit buttons "0" to "9" on the remote control unit.
- If you press REPEAT button during programmed playback, the current track or all programmed tracks/files is/are played repeatedly.

The icon "REP." or "REP. ALL" and the icon "PGM" appear on the display.

To clear the program

Press P.MODE button.

The icon "PGM" disappears from the display.



- "P" represents PROGRAM.
- The program is automatically cleared as soon as the CD door is opened.
- The function of program setting cannot be used in PLAY/ PAUSE mode.

Random play

You can play all the tracks/files in random order.

1 During playing, pause or stop mode, press RANDOM button to enable random play mode.

The icon "RDM" appears on the display.

2 To exit random mode, press RANDOM button again.

The icon "RDM" disappears from the display.

Repeat play

You can play the current track/file/album or the whole disc/audio file repeatedly.

Press REPEAT button in play or pause mode.

Every time the button is pressed, the repeat play changes in the following order:

For CD:

Repeat mode	lcon
Repeat a single track	"REP."
Repeat all the tracks *1	"REP. ALL"
Repeat off	_

For audio file:

Repeat mode	lcon
Repeat a single file	"REP."
Repeat one album *2	"REP. ALB."
Repeat all the files *1	"REP. ALL"
Repeat off	



- *1 All tracks/files are repeated continuously.
- *2 This function cannot be used in program mode.

Changing the display information

Press DISPLAY button in play or pause mode.

Every time the button is pressed, the display changes in the following order:

For CD:

Information	lcon
Status display	_
The current track elapsed time.	_
The current track remaining time.	"REMAIN"
The whole disc elapsed time.	"TOTAL"
The whole disc remaining time.	"TOTAL REMAIN"
The whole CD time.	_

For audio file:

Information	lcon
Status display	_
Album name and file name.	_
Tag information (Track, album title and	_
artist name).	
Album number and track number.	_

Using the radio

Tuning in radio stations

- 1 Press TUNER BAND button to select the desired waveband: FM or AM.
- 2 Press and hold I or ▶ button to tune in to the desired frequency.



 To tune to a weak station, briefly press I◄ or ►►I button repeatedly until the display shows the desired frequency or when the best reception has been obtained.

STEREO/MONO

Press the STEREO/MONO button to select mono or stereo mode.

When stereo mode is selected, the icon "STEREO" appears on the display (if current station is FM stereo).



• You are able to select stereo or mono mode in FM band only.

Auto preset

Radio stations can be preset automatically in preset channels.

- 1 Press TUNER BAND button to select the desired waveband: FM or AM.
- 2 Press MEMORY/REPEAT button for more than 2 seconds.

The receivable radio stations are preset automatically.

When the Auto preset operation has completed, the unit enters the condition in which preset station P01 is tuned.

Manual preset

You can store up to 30 for FM and 10 for AM radio stations in the memory. When a preset radio stations selected, the preset number appears on the display.

- 1 Press TUNER BAND button to select the desired waveband: FM or AM.
- 2 Press | ◀ or ▶ button to tune in to the desired frequency.
- 3 Press MEMORY/REPEAT button so that "P -" appears on the display.
- 4 If you want to store the radio station to another preset number, press FOLDER/P.CALL ▲ or ▼, or digit buttons 0–9 to select the desired preset number.
- 5 Press ENTER button again to store the radio station.
- **6** Repeat steps 2 to 5 to store other preset radio stations.



• During preset, if no button is pressed within 20 seconds, the system will exit preset mode automatically.

Tuning to a preset radio station

Press FOLDER/P.CALL ▲ or ▼, or digit buttons 0–9 to select the desired preset number.

The preset number and radio frequency appear on the display.



• Press the digit buttons as shown below:

	FM	AM
To select 1	1 and ENTER	1 and ENTER
To select 2	2 and ENTER	2 and ENTER
To select 10	1, 0 and ENTER	1, 0 and ENTER

Using RDS (Radio Data System)

RDS is a system that transmits useful information (in the form of digital data) for FM broadcasts along with the broadcast signal. Tuners and receivers designed for RDS reception can extract the information from the broadcast signal for use with various functions, such as automatic display of the station name.

RDS functions

PTY (Program Type Identification) Search:

Automatically tunes to a station that is currently broadcasting the specified program type (genre).

PS (Program Service Name) Display:

Automatically displays the station name transmitted by the RDS station.

Radio Text function:

Displays the radio text data transmitted by some RDS stations when you press the **DISPLAY** button. There is "NOTEXT" display if no text data is transmitted.



 Some functions and function names may differ in certain countries and areas.

Changing the RDS display information

While receiving a RDS station, pressing the **DISPLAY** button changes the contents of the display.

Every time the button is pressed, the display changes in the following order:

Information

PS (Program Service name) display

PTY (Program TYpe) display

RT (Radio Text) display

Frequency display and preset number display

Tuning by Program Type (PTY search)

This function lets you set the tuner to automatically search for stations which are currently broadcasting the type of program (genre) you want to listen to.

- 1 Press TUNER BAND button to select FM.
- 2 Press PTY button.

If the current station is with RDS, the program type of the station is displayed.

3 Press FOLDER/P.CALL ▲ or ▼ button to select your desired program type.

Program type table

Program Type Name	Display
News	"NEWS"
Current Affairs	"AFFAIRS"
Information	"INFO"
Sport	"SPORT"
Education	"EDUCATE"
Drama	"DRAMA"
Culture	"CULTURE"
Science	"SCIENCE"
Varied Speech	"VARIED"
Pop Music	"POP M"
Rock Music	"ROCK M"
Easy Music	"EASY M"
Light Classical Music	"LIGHT M"
Serious Classical Music	"CLASSICS"
Other Music	"OTHER M"
Weather	"WEATHER"
Finance	"FINANCE"
Children's Program	"CHILDREN"
Social Affairs	"SOCIAL"
Religion	"RELIGION"
Phone In	"PHONE IN"
Travel	"TRAVEL"
Leisure	"LEISURE"
Jazz Music	"JAZZ"
Country Music	"COUNTRY"
National Music	"NATION M"
Oldies Music	"OLDIES"
Folk Music	"FOLK M"
Documentary	"DOCUMENT"

4 Press PTY button to start searching.



- Under certain receiving conditions, it may take more than 1 minute to complete the search.
- If the desired program type cannot be found, "NO PROGRAM" is displayed, then after several seconds the display returns to the original display.

Using the iPod

C-515BT

Inserting an iPod

1 Connect a iPod to the iPod dock.

2 Press D.AUDIO/iPod/Bluetooth button once or more to select "iPod".

The icon "iPod" appears on the display.

Playing an iPod

Press ►/II button to start playback.

Basic opertions

Operation type	Operation
To interrupt	Press ►/II button.
playback	Press again to resume playback.
To search for a	Press and hold I◀◀ or ▶►I button.
particular passage	Release to resume the playback.
during playback	
To select a song	Press I◀◀ or ▶▶I button.
To select a album *1	Press FOLDER/P.CALL ▲ or ▼ button.



*1 The operation varies depending on the model of iPod.

p			
Model other than iPod touch		iPod tou	ch
The operation is available when one of the following items is selected.		The album is switched to the next album found by following the	
Browse item	Selection		order of track names.
Artists, Composers	All Albums	— Example Track-A1 Album-A Track-B1 Album-B Track-B2 Album-B	
Albums, Compilations	All Songs		
Genres	All Artists		Track-C1 Album-C

Repeat play

You can play the current song or the all songs repeatedly.

Press REPEAT button.

Every time the button is pressed, the repeat play changes in the following order:

Repeat mode	lcon
Repeat a single song	_
Repeat all songs	_
Repeat off	_

Random play

You can play all the album in random order.

Press RANDOM button.

Each time you press the button, Random Play turns ON or OFF.



• The displayed icon may not match the actual operation with certain iPod models.

18 C-515BT/C-313

Using the D.AUDIO


Playback of Digital Audio Player

Kenwood digital audio player can be connected to play audio files in it.

1 Connect an the player.

Connect a Kenwood digital audio player or iPod* to the [D.AUDIO] connector using an optional cable or adapter. Also read the instruction manual for the connected component.

* C-313 can be connected and controlled use for optional iPod adapter PAD-iP7.



- 2 Press D.AUDIO/iPod/Bluetooth button once or more to select "D.AUDIO".
- **3** Turn the connected player ON and start playing it.

Basic opertions

busic oper tions		
Operation type	Operation	
To stop playback	Press STOP ■ button.	
To interrupt	Press ►/II button.	
playback	Press again to resume playback.	
To search for a	Press and hold I◀◀ or ▶▶I button for	
particular passage	more than 2 seconds.	
during playback		
To select a track/ file	Press I◀◀ or ▶▶ button in play or pause	
	mode.	
To select a folder	Press FOLDER/P.CALL ▲ or ▼ button	
	in play or pause mode.	



• Some control operations may be unavailable depending on the connected player.

Using the Bluetooth audio C-515BT

You can listen to audio files stored in Bluetooth audio player.

Before use (Pairing function)

You need to register your audio player and cell-phone before using it with this unit.

- Press D.AUDIO/iPod/Bluetooth button once or more to select "Bluetooth".
- 2 Press PAIRING/STEREO/MONO [PAIRING] button.
- 3 Search this unit from the pairing target device. When the pairing target device (Bluetooth audio player etc.) detects this unit, it displays "C-515BT".
- 4 Select and register this unit on the pairing target device.
- 5 If the pairing target device requests entry of the passkey, enter "0000".
 - "§", "CONNECTED" is displayed when pairing completes.



- Once a device is paired with this unit, it is not necessary to repeat the pairing operation. This unit can be connected simply by selecting "C-515BT" from the list of the Bluetooth device.
- Note that this unit is not capable of multi-pairing.

Playback of Bluetooth audio

- Press D.AUDIO/iPod/Bluetooth button once or more to select "Bluetooth".
- **2** Play the Bluetooth device.

Basic opertions

Operation type	Operation
To stop playback	Press STOP ■ button.
To interrupt	Press ►/II button.
playback	Press again to resume playback.
To search for a	Press and hold I◀◀ or ▶▶I button for
particular passage	more than 2 seconds.
during playback	
To select a track/ file	Press I or ▶ button in play or pause
	mode.



 If the pairing target device does not support the AVRCP profile, the device cannot be controlled from this unit.
 Operate from the Audio player.

Using the AUX

Playing an external component

An external component can be connected to AUX IN of this unit and played back.

- 1 Connect an external component.
 - Connect an external component to the [AUX IN] connector on the rear of this unit.
- 2 Press AUX button.
- 3 Start playing the connected external component.

Clock/timer operation

Clock setting

- 1 Press TIMER SET button.
- 2 Press MULTI CONTROL **♦** or **▶** button to select "CLOCK" and press ENTER button.

"CLOCK SETTING" appears on the display.

3 Press ENTER button.

The hour indication will start flashing.

4 Press MULTI CONTROL ▲ or ▼ button to set the hours and press ENTER button.

The minute indication starts flashing.

5 Press MULTI CONTROL ▲ or ▼ button to set the minutes and press ENTER button.

When the setting completes, "COMPLETE" is displayed and the unit exits the setup mode automatically.



- The clock setting will be erased when the power cord is disconnected or a power failure occurred.
- The MULTI CONTROL

 or

 button can be used to move across the setting items.

Timer setting

The system can switch on to CD, USB, TUNER or iPod automatically at a preset time, serving as an alarm to wake you up.

Important!

Before setting the timer, ensure that the clock is set correctly.

- **1** Press TIMER SET button.
- 2 Press MULTI CONTROL ◀ or ▶ button to select "TIMER" and press ENTER button.
- 3 Set the time to start playback.

The icon "ON" starts flashing.

Press MULTI CONTROL ▲ or ▼ button to set timer start hours and press ENTER button to store the setting. Repeat the same procedure to set the minutes.

The icon "OFF" starts flashing.

4 Repeat the step 3 to set the time to stop the timer (off time).

The icon "TIMER" flashes and the source display appears.

5 Press MULTI CONTROL ▲ or ▼ button to select the desired source and press ENTER button to store the setting.

The source switches as follows : "CD" \rightarrow "USB" \rightarrow "SD" \rightarrow "iPod" \rightarrow "TU FM" \rightarrow "TU AM" \rightarrow ...

When a radio source (FM/AM) is selected, select the preset station number after the above.

- 6 Press MULTI CONTROL ▲ or ▼ button to set volume level and press ENTER button to store the setting.

Play mode	Function
PLAY	The playback begins at the level set
	with VOLUME.
AI PLAY	The volume is increased gradually until
	the level set with VOLUME.

When the setting completes, "COMPLETE" is displayed and the unit exits the setup mode automatically.

The icon "TIMER" appears on the display. The timer is now set.

8 Switch the system to standby mode.

The STANDBY/TIMER indicators also light orange.



- When reached the preset timer, the selected source will play or switch to standby mode after the timer has been activated.
- The MULTI CONTROL ◀ or ▶ button can be used to move across the setting items.

To activate/deactivate the timer

Press TIMER ON/OFF button.

If activated, the icon "TIMER" appears on the display.



• The timer off will not be activated if the starting and stopping time are the same.

Sleep timer setting

If the sleep timer is activated, the system will switch to standby mode after the selected time has expired.

Each press of the SLEEP button decreases the timer period by 10 minutes. The sleep timer can be set up to 90 minutes.

The icon "SLEEP" appears on the display.

The display will change to sleep time display and change as follows:

90 min \rightarrow 80 min \rightarrow 70 min \rightarrow 60 min \rightarrow 50 min \rightarrow 40 min \rightarrow 30 min \rightarrow 20 min \rightarrow 10 min \rightarrow OFF

While sleep mode is in active:

To deactivate the sleep timer

Press SLEEP button or press $\stackrel{(1)}{\cup}$ button to turn the power off.



• If timer off and the sleep off are all activated, the system will switch to standby mode by the earlier timer set.

System setup

Adjusting the display brightness (BACKLIGHT)

The brightness of the display backlight can be adjusted and how the display backlight and illuminations of this unit are lit can be selected.

- 1 Press BACKLIGHT/CONTRAST button.
- 2 Press MULTI CONTROL **《** or **》** button to select "BACKLIGHT" and press ENTER button.
- 3 Press MULTI CONTROL o or button to select the backlight setting and press ENTER button to store the setting.

Setting	Function
BACKLIGHT 1	Both the display and illuminations are
	turned on.
BACKLIGHT 2	The display is turned on and the
	illuminations are turned off.
BACKLIGHT 3	The display is turned off and the
	illuminations are turned on.
BACKLIGHT 4	Both the display and illuminations are
	turned off.

When the setting completes, "COMPLETE" is displayed and the unit exits the setup mode automatically.

Adjusting the display contrast (CONTRAST)

The contrast of the display can be adjusted.

- 1 Press BACKLIGHT/CONTRAST button.
- 2 Press MULTI CONTROL ◀ or ▶ button to select "CONTRAST" and press ENTER button.
- 3 Press MULTI CONTROL ◀ or ▶ button to adjust the contrast setting and press ENTER button to store the setting.

	•
Setting	Function
1 🗆	Decreases the contrast.
2 🗆 🗆	
3 🗆 🗆 🗆	
4 🗆 🗆 🗆	
5 00000	Increases the contrast.

When the setting completes, "COMPLETE" is displayed and the unit exits the setup mode automatically.

Setting Auto Power Save (A.P.S.)

A.P.S. stands for Auto Power Save, which is the function that switches this unit OFF when it has not been controlled for more than 30 minutes while its power is ON and the CD and other inputs are in stop mode.

- 1 Press TIMER SET button.
- 2 Press MULTI CONTROL **◆** or **▶** button to select "A.P.S." and press ENTER button.
- 3 Press MULTI CONTROL o or button to select the A.P.S. setting and press ENTER button to store the setting.

Setting	Function	
A.P.S. ON	A.P.S. mode is ON.	
A.P.S. OFF	A.P.S. mode is OFF.	

When the setting completes, "COMPLETE" is displayed and the unit exits the setup mode automatically.

When the A.P.S. is ON...

A.P.S. is activated when this unit is in either condition below.

- When the input source is TUNER, AUX, D.AUDIO, Bluetooth or iPod, the volume level is 0 and no button has been pressed for 30 minutes.
- When the input source is CD, USB or SD, the CD player or USB device or SD is in stop mode and no button has been pressed for 30 minutes.



 When the A.P.S. is activated, the display shows flashing "A.P.S." from about one minute before this unit is switched OFF.

22 C-515BT/C-313

In case of difficulty

Resetting the Microcomputer

The microcomputer may malfunction (unit cannot be operated, or shows an erroneous display) if the power cord is unplugged while the power is ON, or due to some other external factor. If this happens, execute the following procedure to reset the microcomputer and return the unit to its normal operating condition.

When the power is off (standby mode), press and hold down the [SOUND] button on the main unit for more than 2 seconds. Unplug the AC cord and plug it back in if "FACTORY RESET FINISHED" is appears.

 Please note that resetting the microcomputer will clear the contents of the memory and return the unit to the state it was in when it left the factory.

Check that following guide for problem resolution.

General

No sound.

- → Plug in AC cord securely.
- → Set the VOLUME control to proper sound level.
- → Make sure the source is set to the source you want to operate.
- → Pull out the headphones plug from the headphones jack.

The left and right sound outputs are reverse.

→ Check the speaker connections and location.

The system does not operate by pressing any buttons.

→ Unplug the AC cord and plug it back in.

This unit is turned OFF spontaneously.

→ A.P.S. is set to ON. Set it to OFF.

CD player operation"NO DISC" is displayed.

- → Insert a disc correctly (label side up).
- → Clean the disc.
- → Use a new or readable disc.
- → Wait until the moisture condensation at the lens has cleared.

USB operation

"NO USB" is displayed.

→ Insert the USB device properly.

Cannot play.

→ Check if the USB mass storage classcompatible digital audio player is turned ON.

iPod operation

"NO iPod" is displayed.

→ Insert the iPod properly.

Does not function properly.

- → Disconnect the iPod and connect it again.
- → Check the software version of the iPod. If it is not the latest one, update it.

SD operation

"NO SD" is displayed.

→ Insert the SD card properly.

Cannot play.

→ Insert an SD card containing music files.

Bluetooth operation

"DISCONNECTED" is displayed.

- Check if the connected device is compatible with the profile of this unit.
- → Check if the connected device is in available status.

No Sound.

→ With certain audio files, audio playback through Bluetooth is not supported.

D.AUDIO operation

Kenwood digital audio player cannot be controlled from the main unit or remote control

- Connect using the connection cable (separately available).
- → Check if a compatible model is connected.

Radio reception

Noise in radio.

- → Tune to a correct frequency.
- → Adjust the direction of the FM antenna.
- → Adjust the position and direction of the AM antenna.
- → Increase the distance between the system and TV or VCR.

Remote control unit

Does not function properly.

- → Replace the batteries.
- → Remove the obstacles.
- → Move closer to the system when using the remote control and make sure that you are pointing at unit's remote sensor.

General information

Maintenance

Cleaning the cabinet

 Use a soft cloth slightly moistened with a mild detergent solution. Do not use a solution containing alcohol, spirits, ammonia or abrasive

Cleaning discs

- When a disc becomes dirty, clean it with a cleaning cloth, wipe the disc from the center out. Do not wipe in circular motion.
- Do not use solvents such as benzene, thinner commercially available cleaners, or antistatic spray intended for analogue records

Caution on condensation

Condensation (of dew) may occur inside the unit when there is a great difference in temperature between this unit and the outside. This unit may not function properly if condensation occurs. In this case, leave the unit for a few hours and restart the operation after the condensation has dried up.

Be specially cautious against condensation in the following circumstances:

When this unit is carried from one place to another across a large difference in temperature, when the humidity in the room where this unit is installed increases, etc.

Copyright information

Materials recorded from broadcasting, CDs, discs or other recorded materials (music tapes, karaoke tapes, etc.) are protected by the copy right just like the verses and melodies of songs.


The copyright law prescribes that the permission from the copyright owners is required to sell, distribute, transfer or lend the materials recorded from the above recorded materials or to use them on a commercial basis (including background music in shops, etc.).

To install this unit and/or speakers on a wall

Prepare commercially available woodscrews.




1 On a stable pillar or wall, attach a pair of woodscrews at the same interval as the interval between the wall-mount holes of this unit or speaker.



Screw attaching interval
Main unit: 120mm (C-313/C-515BT)
Speaker: 90mm (C-313)
120mm (C-515BT)

2 Fit the screws into the wall-mount holes on the rear of the main unit or speaker.



• The heat radiation from the rear of the main unit may deform or discolor the wall made of certain material.

Be sure to observe the following points when installing the unit on a wall. Otherwise, the product may drop and cause damage or an injury.

- Check the strength of the wall before installation. Do not install on a plywood or plaster board. If you have any doubt related to the wall strength, please consult a specialist.
- Check that the screws are fit securely into the wall-mount holes of the main unit and/or speakers.
- Even after installation, use care so that the unit and/or speakers do not drop due to an accidental contact, etc.

24 C-515BT/C-313

Specifications

Weight (net)...

Main unit
Amplifier section
Rated output power
C-515BT20 W + 20 W (1 kHz, 10% T.H.D., at 8 Ω)
C-313
D.AUDIO/ AUX (Sensitivity/ Impedance) 300 mV/10 k Ω
SUBWOOFER PREOUT (Level/ Impedance)1 V/10 k Ω
Tuner section
FM tuner section
Tuning frequency range87.5 MHz \sim 108.0 MHz
AM tuner section
Tuning frequency range531 kHz \sim 1,602 kHz
CD player section
LaserSemiconductor laser
Laser wave length
Laser power class
Over sampling
D/A conversion1 Bit
USB interface
USB standardUSB 1.1/2.0
Maximum supply current500 mA
File systemFAT 16/ 32
SD card interface
FormatSD memory card
Usable SD cards
SD/SDHC, miniSD, microSD/SDHC card
FAT 16/ 32
THE SYSTEM THE TOTAL THE STATE OF THE STATE
Bluetooth section (C-515BT)
TechnologyBluetooth Ver. 2.0 Certified
ProfileA2DP (Advanced Audio Distribution Profile)
AVRCP (Audio/Video Remote Control Profile)
General
Provided AC adapter DC 18 V (AC 230 - 240 V, 50 Hz)
Power consumption (Incl. AC adapter)
C-515BT

Speakers (C-515BT)

Enclosure	Bass-reflex type
Speaker configuration	
Woofer	86 mm, cone type
Tweeter	36 mm, cone type
Impedance	8 Ω
Maximum input	20 W
Dimensions	W: 170 mm
	H: 238 mm
	D: 132 mm
Weight (net)	1.1 kg (1 piece)

Speakers (C-313)

Enclosure	Bass-reflex type
Speaker configuration	
Full range	86 mm, cone type
Impedance	8 Ω
Maximum input	10 W
Dimensions	W:130 mm
	H: 238 mm
	D: 133 mm
Weight (net)	1.0 kg (1 piece)

iPod dock (C-515BT)

Video output format	NTSC/PAL
Composite video output level	1 Vp-p (75 Ω)
Dimensions	W : 103 mm
	H:31 mm
	D:65 mm
Weight (net)	0.16 kg

Notes:

- Kenwood follows a policy of continuous advancements in development. For this reason specifications may be changed without notice.
- Sufficient performance may not be exhibited at extremely cold locations (where water freezes).

Memory back up function

Please note that the following items will be deleted from the unit's memory if the power cord is disconnected from the AC outlet.

- Input selector settings
- · Volume level
- Sound control (preset equalizer, bass enhancement)
- · Tuner setting

English 25

.....16 WW : 190 mm

H: 238 mm

D:143 mm

.....1.4 kg

- Declaration of Conformity with regard to the EMC Directive 2004/108/EC
- Declaration of Conformity with regard to the R&TTE Directive 1999/5/EC

Manufacturer:

Kenwood Corporation 2967-3 Ishikawa-machi, Hachioji-shi, Tokyo, 192-8525 Japan

EU Representative's:

Kenwood Electronics Europe BV Amsterdamseweg 37, 1422 AC UITHOORN, The Netherlands



English

Hereby, Kenwood declares that this unit C-515BT is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

Français

Par la présente Kenwood déclare que l'appareil C-515BT est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 1000/5/CF

Par la présente, Kenwood déclare que ce C-515BT est conforme aux exigences essentielles et aux autres dispositions de la directive 1999/5/CE qui lui sont applicables.

Deutsch

Hiermit erklärt Kenwood, dass sich dieser C-515BT in Übereinstimmung mit den grundlegenden Anforderungen und den anderen relevanten Vorschriften der Richtlinie 1999/5/EG befindet. (BMWi)

Hiermit erklärt Kenwood die Übereinstimmung des Gerätes C-515BT mit den grundlegenden Anforderungen und den anderen relevanten Festlegungen der Richitlinie 1999/5/EG. (Wien)

Nederlands

Hierbij verklaart Kenwood dat het toestel C-515BT in overeenstemming is met de essentiële eisen en de andere relevante bepalingen van richtlijn 1999/5/EG. Bij deze verklaat Kenwood dat deze C-515BT voldoet aan de essentiële eisen en aan de overige relevante bepalingen van Richtlijn 1999/5/EC.

Italiano

Con la presente Kenwood dichiara che questo C-515BT è conforme ai requisiti essenziali ed alle altre disposizioni pertinenti stabilite dalla direttiva 1999/5/CE.

Español

Por medio de la presente Kenwood declara que el C-515BT cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 1999/5/CE.

Português

Kenwood declara que este C-515BT está conforme com os requisitos essenciais e outras disposições da Directiva 1999/5/CE.

Polska

Kenwood niniejszym oświadcza, że C-515BT spełnia zasadnicze wymogi oraz inne istotne postanowienia dyrektywy 1999/5/EC.

Český

Kenwood timto prohlasuje, ze C-515BT je ve shode se zakladnimi pozadavky a s dalsimi prislusnymi ustanoveni Narizeni vlady c. 426/2000 Sb.

Magyar

Alulírott, Kenwood, kijelenti, hogy a jelen C-515BT megfelel az 1999/5/EC irányelvben meghatározott alapvető követelményeknek és egyéb vonatkozó előírásoknak.

Svenska

Härmed intygar Kenwood att denna C-515BT stär I överensstämelse med de väsentliga egenskapskrav och övriga relevanta bestämmelser som framgår av direktiv 1999/5/EG.

Suomi

Kenwood vakuuttaa täten että C-515BT tyyppinen laite on direktiivin 1999/5/EY oleellisten vaatimusten ja sitä koskevien direktiivin muiden ehtojen mukainen.

Slovensko

S tem Kenwood izjavlja, da je ta C-515BT v skladu z osnovnimi zahtevami in ostalimi ustreznimi predpisi Direktive 1999/5/EC.

Slovensky

Spoločnosť Kenwood týmto vyhlasuje, že C-515BT spĺňa zákldné požiadavky a ďalšie prislušné ustanovenia Direktĺvy 1999/5/EC.

Dansk

Undertegnede Kenwood erklærer harved, at følgende udstyr C-515BT overholder de væsentlige krav og øvrige relevante krav i direktiv 1999/5/EF.

Ελληνικά

ΜΕ ΤΗΝ ΠΑΡΟΥΣΑ ΚΕΝWOOD ΔΗΛΩΝΕΙ ΟΤΙ C-515ΒΤ ΣΥΜΜΟΡΦΩΝΕΤΑΙ ΠΡΟΣ ΤΙΣ ΟΥΣΙΩΔΕΙΣ ΑΠΑΙΤΗΣΕΙΣ ΚΑΙ ΤΙΣ ΛΟΙΠΕΣ ΣΧΕΤΙΚΕΣ ΔΙΑΤΑΞΕΙΣ ΤΗΣ ΟΔΗΓΙΑΣ 1999/5/ΕΚ.

Eesti

Sellega kinnitab Kenwood, et see C-515BT4 vastab direktiivi 1999/5/EC põhilistele nõudmistele ja muudele asiakohastele määrustele.

Latviešu

Ar šo, Kenwood, apstiprina, ka C-515BT atbilst Direktīvas 1999/5/EK galvenajām prasībām un citiem tās nosacījumiem.

Lietuviškai

Šiuo, Kenwood, pareiškia, kad šis C-515BT atitinka pagrindinius Direktyvos 1999/5/EB reikalavimus ir kitas svarbias nuostatas.

Malti

Hawnhekk, Kenwood, jiddikjara li dan C-515BT jikkonforma mal-ħtiġijiet essenzjali u ma provvedimenti oħrajn relevanti li hemm fid-Dirrettiva 1999/5/EC.

Українська

Компанія Kenwood заявляє, що цей виріб C-515BT відповідає ключовим вимогам та іншим пов'язаним положенням Директиви 1999/5/EC.

- Windows Media is a trademark of Microsoft Corporation registered in the U.S. and other countries.
- The SDHC logo is a trademark.
- The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Kenwood Corporation is under license. Other trademarks and trade names are those of their respective owners.
- iPod is a trademark of Apple Inc., registered in the U.S. and other countries.
- "Made for iPod" means that an electronic accessory
 has been designed to connect specifically to iPod and
 has been certified by the developer to meet Apple
 performance standards.

Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

Information on Disposal of Old Electrical and Electronic Equipment and Batteries (applicable for EU countries that have adopted separate waste collection systems)



Products and batteries with the symbol (crossed-out wheeled bin) cannot be disposed as household waste.

Old electrical and electronic equipment and batteries should be recycled at a facility capable of handling these items and their waste byproducts.



Contact your local authority for details in locating a recycle facility nearest to you. Proper recycling and waste disposal will help conserve resources whilst preventing detrimental effects on our health and the environment.

Notice: The sign "Pb" below the symbol for batteries indicates that this battery contains lead.

B60 5807 08_02_English.indd 27

09.6.17 9:04:52 AM

KENWOOD

For your records

Record the serial number, found on the back of the unit, in the spaces designated on the warranty card, and in the space provided below. Refer to the model and serial numbers whenever you call upon your dealer for information or service on this product.

Model	Serial Number
Model	Jenai Number